## Missouri Consensus Diabetes Management Guideline for Adults Flow Sheet

Patient Name:	Date of Birth:
<b>Diabetes:</b> Type 1 Type 2 Other	Date of Diagnosis:
*A diabetes focused visit should be performed every 3-6 months or more often based on	control and complications

LABIGENERAL DATA Weightheight Mill Temperature Blood pressure (modeation adjustment-Goal: cl. 2008 mental pressure (modeation adjustment-G	Care/Test	Frequency	Date	Date	Date	Date	Date
Weight Price in the BMI Emperature From greature Blood pressure (medication adjustment—Coal): \$1,000 miles and the state of the state o							
Temperature	Weight/height/BMI						
Blood pressure (medication adjustments-Coalt (1900 multiple to reach goals) then each ficeased (1901 multiple to reach goals) then each ficeased (1901 multiple to reach goals) then each ficeased (1901 multiple to reach goals) then each ficeased (1902 multiple to reach goals) and the reach ficeased (1902 multiple to reach ficeased (1902 multiple to reach goals) and diagnosis, then annually at the case of good multiple to reach goals (1902 multiple to reach goals) annually at the case of good multiple to reach goals (1902 multiple to reach goals) annually at the case of good multiple to reach goals (1902 multiple to reach goals) annually 3-5 yas after coaset at diagnosis, then annually 3-5 yas after coaset at diagnosis of diagnosis of during evident of systems annually 3-5 yas after coaset at diagnosis of during evident of systems annually 3-5 yas after coaset at diagnosis of during evident of systems annually 3-5 yas after coaset at diagnosis of during evident of systems annually 3-5 yas after coaset at a diagnosis of during evident of systems annually 3-5 yas after coaset at 3-5 yas afte							
State   Stat		monthly to reach goal; then each focused					
goal	<130/80 mmHg)	visit*					
Measure albumin/creatinine ratio  - Type 1 - Type 1 - Type 1 - Type 2 - Type 1 - Type 1 - Type 1 - Type 2 - Type 3 - Type 3 - Type 4 - Type 4 - Type 4 - Type 4 - Type 5 - Type 6 - Type 6 - Type 6 - Type 7 - Type 8 - Type 9 - Typ		2-4 times annually based on individual					
type 2 beginning Syara after onsect of it gross proteinants by protein annually protein and protein annually protein annually at least annually, more often if seeded to schewe grash annually at least annually, more often if seeded to schewe grash annually	<del>-</del>	goal					
beginning 5 years after onsect or if gross protections is present as present		at diagnosis, then appeally					
Check Irpid profile:		·					
Check serum creatinine for GFR  I diagnosis: the annually  I clear	·Type 1						
Check lipid profile:  - Tripleyerides (5 th mg/ll.  - HDL (women) 3-40 mg/ll.  - HDL (women) 3-50 mg/l	Check serum creatinine for GFR						
#Indigenosis of the goals #IDL (non-2) of mogid. #IDL (voumen) > 50 mg/dl. #IDL (voumen) > 50 mg							
## ## ## ## ## ## ## ## ## ## ## ## ##							
LIDL (vomen) > 50 mg/dl. LDL <100 mg/dl.  SYSTEMS REVIEW  Refer for dilated etnial exam -type 1		-					
SysTemS REVIEW  Refer for dilated retinal exam -Type 1 -Type 2 -Type 2 -Type 3 -Type 3 -Type 4 -Type 3 -Type 4 -Type 4 -Type 1 -Type 5 -Type 1 -Type 1 -Type 1 -Type 2 -Type 1 -Type 2 -Type 1 -Type 2 -Type 1 -Type 2 -Type 3 -Type 1 -Type 2 -Type 3 -Type 1 -Type 2 -Type 3 -Type 4 -Type 2 -Type 1 -Type 2 -Type 3 -Type 1 -Type 2 -Type 3 -Type 4 -Type 2 -Type 3 -Type 4 -Type 2 -Type 3 -Type 4 -Type 3 -Type 4 -Type 3 -Type 4 -Type 4 -Type 2 -Type 4							
Refer for dilated retinal exam	·LDL <100 mg/dL						
Impuls   I							
Oral health Evaluate symptoms/complaints; visual exam Refer for dental exam Foot care Jospect feet; stress daily self-exam Perform or refer for comprehensive foot exam annually Assess cardiac autonomic neuropathy signs Assess for for distal symmetric polyneuropathy Input Promote benefits of physical activity Assess/advise regarding tobacco use Tobacco user Assess/advise regarding tobacco use ach focused visit* Assess/advise regarding tobacco use ach focused visit* Assess/advise from annually Inquire about alcohol/drugs at diagnosis; then annually Inquire about alcohol/drugs Assess/review functional limitations at diagnosis; each focused visit*; other times as needed Assess psychosocial health at diagnosis; then as needed PRECONCEPTION/FAMILY PLANNING Provide preconception counseling at diagnosis; then as needed Assess contraception/provide family planning  VACCINES Influenza vaccine annually at diagnosis; then as needed PRECOMEPTION/FAMILY PLANSING Provide and/or refer for diabetes self- management (DSMT) training at diagnosis; then annually; more often if needed Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach	Refer for dilated retinal exam					_	
Provide preconception counseling PSCHONSE ILL  at diagnosis; then annually Assess social barrier adherence and focused visit*  ever focused visit*  ever focused visit*  annually (DPN) RISK FACTORS/OTHER SIGNS  Manage cardiovascular risk factors Statins? Low dose aspirin therapy?  Assess/advise regarding tobacco use	**	* *				[	
Evaluate symptoms/complaints; visual exam each focused visit* each focused visit* every 6 months		at diagnosis; then annually				ļ	
Refer for dental exam Perform or refer for; stress daily self-exam Perform or refer for comprehensive foot exam Assess cardiac autonomic neuropathy signs Screen for distal symmetric polyneuropathy (DPN)  Manage cardiovascular risk factors Statins? Low dose aspirin therapy? Promote benefits of physical activity Assess/advise regarding tobacco use Tobacco user Inductive about alcohol/drugs Assess/review functional limitations PSYCHOSOCIAL Assess special barrier adherence Assess special barrier adherence  The provide preconception counseling Assess contraception/provide family Provide planning  Assess contraception/provide family Pneumococcal vaccine Pneumococcal vaccine Pneumococcal vaccine Pneumococcal vaccine Provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach	Oral health					[	
Foot care Inspect feet; stress daily self-exam Perform or refer for comprehensive foot exam Assess cardiac autonomic neuropathy signs at diagnosis and during review of systems Screen for distal symmetric polyneuropathy (DPN) RISK FACTORS/OTHER SIGNS Manage cardiovascular risk factors Statins? Low dose aspirin therapy? Promote benefits of physical activity Assess/advise regarding tobacco use Industry to the control of the c	·Evaluate symptoms/complaints; visual exam	each focused visit*					
-Inspect feet; stress daily self-exam each focused visit* -Perform or refer for comprehensive foot exam annually -Perform or refer for comprehensive foot exam annually - Sasess cardiac autonomic neuropathy signs - Screen for distal symmetric polyneuropathy (DPN)	·Refer for dental exam	every 6 months					
Assess cardiac autonomic neuropathy signs annually annually (DPN)  Sereen for distal symmetric polyneuropathy (DPN)  (SISK FACTORS/OTHER SIGNS  Manage cardiovascular risk factors statins? Low dose aspirin therapy? (Promote benefits of physical activity each focused visit* or until therapeutic goals are achieved each focused visit* (Promote benefits of physical activity each focused visit*)  Assess/advise regarding tobacco use each focused visit* (Promote benefits of physical activity each focused visit*)  Assess/advise regarding tobacco use each focused visit* (Promote benefits of physical activity each focused visit*)  Assess/review functional limitations each focused visit* (Promote benefits of physical activity)  Assess/review functional limitations each focused visit* (Promote benefits)  Assess/review functional limitations each focused visit* (Promote benefits)  Assess psychosocial health at diagnosis; each focused visit*; other times as needed at diagnosis; then annually each focused visit* (Provide preconception counseling at initial visit for all women of childhearing age at diagnosis; then each focused visit* (Provide preconception counseling annually in fall planning (Provide family planning each focused visit*)  VACCINES  Influenza vaccine once in lifetime**  Review purposes of all treatment each focused visit* (Provide and/or refer for diabetes self-management (DSMT) training each focused visit* (Provide and/or refer for diabetes self-management (DSMT) training each focused visit* (PSMT) training each foc	Foot care						
Assess cardiac autonomic neuropathy signs Screen for distal symmetric polyneuropathy (DPN) RISK FACTORS/OTHER SIGNS Manage cardiovascular risk factors Statins? Low does aspirin therapy? Promote benefits of physical activity Assess/advise regarding tobacco use - Tobacco user - Non-tobacco user - Inducire about alcohol/drugs Assess/review functional limitations - PSYCHOSOCIAL - Assess psychosocial health - at diagnosis; then annually - annually in fall - pleumococcal vaccine - precommentations - annually in fall - pleumococcal vaccine - precommentations/REFERRALS - Review self-monitoring glucose logs - ach focused visit* - annually in fall - pleumococcal vaccine - annually in fall - ach focused visit* - ach focused visit* - annually in fall - ach focused visit* - annually in fall - ach focused visit* - ach focuse		each focused visit*					
Screen for distal symmetric polyneuropathy (DPN)  RISK FACTORS/OTHER SIGNS  Manage cardiovascular risk factors (DPN)  Statins? Low dose aspirin therapy? (Den)  Assess/advise regarding tobacco use (DPN)  Tobacco user (DPN)  Inquire about alcohol/drugs (DPN)  Assess/review functional limitations (DPN)  PSYCHOSOCIAL  Assess psychosocial health (DPN)  Assess social barrier adherence (DPN)  PRECONCEPTION/FAMILY PLANNING  Provide preconception counseling (Dild)  Assess contraception/provide family planning (DPN)  PACCINES  Influenza vaccine (DN)  Influenza vaccine (DN)  REVIEW (DN)  Inquire about alcohol/drugs (DN)  Assess review self-monitoring glucose logs (DN)  Review self-monitoring glucose logs (DN)  Review self-monitoring glucose logs (DN)  Review purposes of all treatment (DSMT) training (DN)  Provide and/or refer for diabetes self-management (DSMT) training (DN)  Provide and/or refer for medical nutrition (DN)  at diagnosis; then annually (DN)  At diagnosis; then annually (DN)  At diagnosis; then annually (DN)  Assess contraception/provide family (DN)  Assess contraception/provide family (DN)  Influenza vaccine (DN)  Review self-monitoring glucose logs (DN)  Review and diagnosis; then annually; (DN)  Inquire and (DN)  Inquire about alcohol/drugs (DN)  Inquire about alcohol/dr	-	annually					
RISK FACTORS/OTHER SIGNS  Manage cardiovascular risk factors Statins? Low dose aspirin therapy?  Promote benefits of physical activity Assess/advise regarding tobacco use -fobacco user	Assess cardiac autonomic neuropathy signs	at diagnosis and during review of systems					
Manage cardiovascular risk factors Statins? Low dose aspirin therapy?  Promote benefits of physical activity Assess/advise regarding tobacco use - Tobacco user - Non-tobacco user - Non	Screen for distal symmetric polyneuropathy	annually					
Manage cardiovascular risk factors Statins? Low dose aspirin therapy? Promote benefits of physical activity Assess/advise regarding tobacco use 'Tobacco user Non-tobacco user Industry in the special activity Assess/advise regarding tobacco use 'Tobacco user Industry in the special activity Assess/advise regarding tobacco use at diagnosis; then annually Inquire about alcohol/drugs at diagnosis; then annually Assess/review functional limitations  PSYCHOSOCIAL  Assess psychosocial health at diagnosis; each focused visit*  Assess psychosocial health at diagnosis; each focused visit*; other times as needed Assess social barrier adherence at diagnosis; then as needed  PRECONCEPTION/FAMILY PLANNIOS  Provide preconception counseling at initial visit for all women of childbearing age at diagnosis; then each focused visit*  planning  VACCINES Influenza vaccine Pneumococcal vaccine pneumococcal vaccine pneumococal vaccine precommendations/REFERRALS Review self-monitoring glucose logs Review self-monitoring glucose logs Review purposes of all treatment medications Provide and/or refer for diabetes self- management (DSMT) training Provide and/or refer for medical nutrition  at diagnosis; flollow-up as needed to reach							
Statins? Low dose aspirin therapy?  Promote benefits of physical activity  Assess/advise regarding tobacco use  Tobacco user  To							
Promote benefits of physical activity each focused visit*  Assess/advise regarding tobacco use  Tobacco user  Assess/review functional limitations  PSYCHOSOCIAL  Assess psychosocial health  Assess social barrier adherence  Provide preconception counseling  Assess contraception/provide family  planning  VACCINES  Influenza vaccine  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs  Review purposes of all treatment  medications  Tobacco user  at diagnosis; then annually  at diagnosis; each focused visit*; other times as needed  at diagnosis; then as needed  at diagnosis; then as needed  at diagnosis; then as needed  provide preconception counseling  at initial visit for all women of childhearing age  at diagnosis; then each focused visit*  annually in fall  pneumococcal vaccine  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs  ach focused visit*  ach focused visit*  provide and/or refer for diabetes self- mendications  Tobacco user  at diagnosis; then annually; more often if needed  at diagnosis; then annually; more often if needed  at diagnosis; follow-up as needed to reach  at diagnosis; follow-up as needed to reach  at diagnosis; follow-up as needed to reach	2						
Assess/advise regarding tobacco use -fobacco user -fobacco	<u> </u>						
Tobacco user -Non-tobacco user at diagnosis; then annually Inquire about alcohol/drugs at diagnosis; then annually Assess/review functional limitations each focused visit*		each focused visit*					
Assess/review functional limitations each focused visit*	<u> </u>						
Inquire about alcohol/drugs at diagnosis; then annually each focused visit*  PSYCHOSOCIAL  Assess psychosocial health at diagnosis; each focused visit*; other times as needed at diagnosis; then as needed at diagnosis; then as needed preconception/FAMILY PLANNING  Provide preconception counseling at initial visit for all women of childbearing age at diagnosis; then each focused visit*  Assess contraception/provide family planning  VACCINES  Influenza vaccine annually in fall preumococcal vaccine once in lifetime*  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs each focused visit*  Review purposes of all treatment each focused visit*  medications  Provide and/or refer for diabetes self-management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; then annually; more often if needed  at diagnosis; then annually; more often if needed  at diagnosis; then annually; more often if needed  at diagnosis; follow-up as needed to reach at diagnosis; follow-up as needed to							
Assess/review functional limitations each focused visit*  PSYCHOSOCIAL  Assess psychosocial health at diagnosis; each focused visit*; other times as needed  Assess social barrier adherence at diagnosis; then as needed  PRECONCEPTION/FAMILY PLANNING  Provide preconception counseling at initial visit for all women of childbearing age  Assess contraception/provide family at diagnosis; then each focused visit*  PASSESS CONTRACEDION/FAMILY PLANNING  Provide preconception counseling at initial visit for all women of childbearing age  At diagnosis; then each focused visit*  Proumococcal vaccine annually in fall annual		- C					
Assess psychosocial health at diagnosis; each focused visit*; other times as needed  Assess social barrier adherence at diagnosis; then as needed  PRECONCEPTION/FAMILY PLANNING  Provide preconception counseling at initial visit for all women of childbearing age at diagnosis; then each focused visit*  Provide preconception/provide family planning  VACCINES  Influenza vaccine annually in fall pneumococcal vaccine once in lifetime**  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs each focused visit*  Review purposes of all treatment each focused visit*  medications  Provide and/or refer for diabetes self-management (DSMT) training  Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach and the results of the results o							
Assess psychosocial health at diagnosis; each focused visit*; other times as needed at diagnosis; then as needed at diagnosis; then as needed provide preconception counseling at initial visit for all women of childbearing age at diagnosis; then each focused visit* planning planning annually in fall annually in fall preumococcal vaccine annually in fall preumococcal vaccine once in lifetime**  RECOMMENDATIONS/REFERRALS Review purposes of all treatment each focused visit*  Review purposes of all treatment each focused visit*  medications Provide and/or refer for diabetes self-management (DSMT) training each focused at diagnosis; follow-up as needed to reach at dia		each focused visit*				L	L
times as needed  Assess social barrier adherence  PRECONCEPTION/FAMILY PLANNING  Provide preconception counseling  Assess contraception/provide family planning  VACCINES  Influenza vaccine Pneumococcal vaccine Pneumococcal vaccine RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs Review purposes of all treatment medications Provide and/or refer for diabetes self- management (DSMT) training Provide and/or refer for medical nutrition  times as needed at diagnosis; then as needed  at diagnosis; then as needed  at diagnosis; then as needed  at diagnosis; then each focused visit*  at diagnosis; then annually; more often if needed  Provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach  at diagnosis; follow-up as needed to reach  at diagnosis; follow-up as needed to reach	PSYCHOSOCIAL	<u> </u>					
Assess social barrier adherence at diagnosis; then as needed  PRECONCEPTION/FAMILY PLANNING  Provide preconception counseling at initial visit for all women of childbearing age  Assess contraception/provide family at diagnosis; then each focused visit*  Planning  VACCINES  Influenza vaccine annually in fall noce in lifetime**  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs each focused visit*  Review purposes of all treatment each focused visit*  medications  Provide and/or refer for diabetes self-management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; then as needed  at diagnosis; then as needed  at diagnosis; then annually; more often if needed  Provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach	Assess psychosocial health	=					
Precide preconception counseling at initial visit for all women of childbearing age  Assess contraception/provide family planning  VACCINES  Influenza vaccine annually in fall pneumococcal vaccine once in lifetime**  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs each focused visit*  Review purposes of all treatment each focused visit*  medications  Provide and/or refer for diabetes self-management (DSMT) training each foreign in feeded  Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach each foreign and the feed							ļ
Provide preconception counseling at initial visit for all women of childbearing age  Assess contraception/provide family planning  VACCINES  Influenza vaccine annually in fall pneumococcal vaccine once in lifetime**  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs each focused visit*  Review purposes of all treatment each focused visit*  medications  Provide and/or refer for diabetes self-more often if needed provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach provide and the followed and the fol		9				<u> </u>	ļ
childbearing age  Assess contraception/provide family planning  VACCINES  Influenza vaccine Pneumococcal vaccine  nnually in fall Pneumococcal vaccine  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs Review purposes of all treatment medications Provide and/or refer for diabetes self- management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach planning  childbearing age at diagnosis; then each focused visit*  at diagnosis; follow-up as needed to reach provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach						•	
Assess contraception/provide family planning  VACCINES  Influenza vaccine annually in fall once in lifetime**  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs each focused visit*  Review purposes of all treatment each focused visit*  medications  Provide and/or refer for diabetes self-management (DSMT) training  Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach each devisit translated to reach each each devisit translated to reach each each devisit translated to reach each each each each each each each	Provide preconception counseling					[	
Planning  VACCINES  Influenza vaccine  Pneumococcal vaccine  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs Review purposes of all treatment medications  Provide and/or refer for diabetes self- management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach substance of 12 months in the self- at diagnosis; follow-up as needed to reach at diagnosis; follow-up as needed to reach	A sease contragantian/provide family					<del>                                     </del>	
VACCINES  Influenza vaccine  Pneumococcal vaccine  Once in lifetime**  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs Review purposes of all treatment  medications  Provide and/or refer for diabetes self- management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach		at diagnosis, then each focused visit				[	
Influenza vaccine annually in fall pneumococcal vaccine once in lifetime**  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs each focused visit*  Review purposes of all treatment each focused visit*  medications  Provide and/or refer for diabetes self-more often if needed  Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach at diagnosis; follow-up as needed to r						L	
Pneumococcal vaccine once in lifetime**  RECOMMENDATIONS/REFERRALS  Review self-monitoring glucose logs each focused visit*  Review purposes of all treatment each focused visit*  medications  Provide and/or refer for diabetes self-management (DSMT) training more often if needed  Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach each then 6.12 ment interval to a needed to reach each then 6.12 ment interval to a needed to reach each then 6.12 ment interval to a needed to reach each each each each each each each		11 . 6 11		1	1	-	
Review self-monitoring glucose logs Review purposes of all treatment medications Provide and/or refer for diabetes self- management (DSMT) training Provide and/or refer for medical nutrition  at diagnosis; follow-up as needed to reach						<del>                                     </del>	
Review self-monitoring glucose logs  Review purposes of all treatment  medications  Provide and/or refer for diabetes self- management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; then annually; more often if needed  at diagnosis; follow-up as needed to reach then (12 month interval or and of the control		once in lifetime**					
Review purposes of all treatment  medications  Provide and/or refer for diabetes self- management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; then annually; more often if needed  at diagnosis; follow-up as needed to reach		I		I	ı	1	I
medications  Provide and/or refer for diabetes self- management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; then annually; more often if needed  at diagnosis; follow-up as needed to reach at diagnosis; follow-up as needed to reach							
Provide and/or refer for diabetes self- management (DSMT) training  Provide and/or refer for medical nutrition  at diagnosis; then annually; more often if needed  at diagnosis; follow-up as needed to reach then (12 month interval as needed to		each focused visit*				1	
management (DSMT) training more often if needed  Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach at diagnosis; follow-up as needed to reach at diagnosis; follow-up as needed to reach							
Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach	Provide and/or refer for diabetes self-						
Provide and/or refer for medical nutrition at diagnosis; follow-up as needed to reach	management (DSMT) training	more often if needed				[	
1. then 6.12 ments internal and 1		at diagnosis; follow-up as needed to reach					1
therany (MNT)	therapy (MNT)	goal; then 6-12 month intervals as needed					

<sup>\*\*</sup>One-time revaccination recommended for individuals >65 who were previously immunized when they were <65 and vaccine administered more than 5 years ago.